PATENT COOPERATION TREAT.

	From the INTERNATIONAL BUREAU				
PCT	То:				
NOTIFICATION OF ELECTION (PCT Rule 61.2)	Assistant Commissioner for Patents United States Patent and Trademark Office				
	Box PCT Washington, D.C.20231 ETATS-UNIS D'AMERIQUE				
Date of mailing (day/month/year) 16 October 2000 (16.10.00)	in its capacity as elected Office				
International application No. PCT/IT00/00053	Applicant's or agent's file reference 7404/100				
International filing date (day/month/year) 18 February 2000 (18.02.00)	Priority date (day/month/year) 26 February 1999 (26.02.99)				
Applicant	,				
CAZZOLARO, Sergio					
1. The designated Office is hereby notified of its election made: X in the demand filed with the International Preliminary Examining Authority on: 13 September 2000 (13.09.00) in a notice effecting later election filed with the International Bureau on:					
2. The election X was was not was not made before the expiration of 19 months from the priority Rule 32.2(b).	date or, where Rule 32 applies, within the time limit under				
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Zakaria EL KHODARY				
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38				



PCT

NOTIFICATION OF RECEIPT OF RECORD COPY

(PCT Rule 24.2(a))

From the INTERNATIONAL BUREAU

Т:

CIONI, Carlo Studio Cioni & Pipparelli Viale Caldara, 38 I-20122 Milano ITALIE

Date of mailing (day/month/year) 11 April 2000 (11.04.00)	IMPORTANT NOTIFICATION				
Applicant's or agent's file reference 7404/100	International application No. PCT/IT00/00053				

The applicant is hereby notified that the International Bureau has received the record copy of the international application as detailed below.

Name(s) of the applicant(s) and State(s) for which they are applicants:

CAZZOLARO, Sergio (all designated States)

International filing date

18 February 2000 (18.02.00)

Priority date(s) claimed

26 February 1999 (26.02.99)

Date of receipt of the record copy by the International Bureau

27 March 2000 (27.03.00)

List of designated Offices

AP:GH,GM,KE,LS,MW,SD,SL,SZ,TZ,UG,ZW

EA :AM,AZ,BY,KG,KZ,MD,RU,TJ,TM

EP:AT,BE,CH,CY,DE,DK,ES,FI,FR,GB,GR,IE,IT,LU,MC,NL,PT,SE

OA:BF,BJ,CF,CG,CI,CM,GA,GN,GW,ML,MR,NE,SN,TD,TG

National :AL,AM,AT,AU,AZ,BA,BB,BG,BR,BY,CA,CH,CN,CU,CZ,DE,DK,EE,ES,FI,GB,GD,GE,GH,GM,HR,HU,ID,IL,IN,IS,JP,KE,KG,KP,KR,KZ,LC,LK,LR,LS,LT,LU,LV,MD,MG,MK,MN,MW,MX,NO,

NZ,PL,PT,RO,RU,SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,UA,UG,US,UZ,VN,YU,ZW

ATTENTION

The applicant should carefully check the data appearing in this Notification. In case of any discrepancy between these data and the indications in the international application, the applicant should immediately inform the International Bureau.

In addition, the applicant's attention is drawn to the information contained in the Annex, relating to:

X time limits for entry into the national phase

EXPRESS MAIL NO. <u>EL 815472</u> 581 0

X

confirmation of precautionary designations

MAHED 22 AUGUST 200

X requirements regarding priority documents

A copy of this Notification is being sent to the receiving Office and to the International Searching Authority.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer:

Simin Baharlou

Facsimile No. (41-22) 740.14.35

Telephone No. (41-22) 338.83.38

PCT

NOTICE INFORMING THE APPLICANT OF THE **COMMUNICATION OF THE INTERNATIONAL** APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

From the INTERNATIONAL BUREAU

To:

CIONI, Carlo Studio Cioni & Pipparelli Viale Caldara, 38 I-20122 Milano **ITALIE**

RECEIVED

0 8 SET. 2000 STUDIO CIONI & PIPPARELLI

Date of mailing (day/month/year)

31 August 2000 (31.08.00)

Applicant's or agent's file reference

7404/100

IMPORTANT NOTICE

International application No. PCT/IT00/00053

International filing date (day/month/year) 18 February 2000 (18.02.00)

Priority date (day/month/year) 26 February 1999 (26.02.99)

Applicant

CAZZOLARO, Sergio

 Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice: AU,KP,KR,US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AL,AM,AP,AT,AZ,BA,BB,BG,BR,BY,CA,CH,CN,CU,CZ,DE,DK,EA,EE,EP,ES,FI,GB,GD,GE,GH,GM, HR,HU,ID,IL,IN,IS,JP,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MD,MG,MK,MN,MW,MX,NO,NZ,OA,PL, PT,RO,RU,SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,UA,UG,UZ,VN,YU,ZW
The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the

applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 31 August 2000 (31.08.00) under No. WO 00/50702

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The Internati nal Bur au of WIPO 34, ch min d s Col mbett s 1211 Geneva 20, Switzerland

Authorized officer

J. Zahra

Telephone No. (41-22) 338,83,38

Facsimile No. (41-22) 740.14.35

PATENT COOPERATION TREATY

PCT

REC'D 26 APR 2001

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	or age	ent's file reference			_			
7404/58	•		FOR FURTHER ACT	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)				
International application No. International filing date (day/month/year) Priority date (day/month/year)				·)				
PCT/IT0	0/000)53	18/02/2000			26/02/1999		
Internation E04B1/3		ent Classification (IPC) or nat	tional classification and IPC					
Applicant								
CAZZOL	ARO	, Sergio						
 This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. 								
2. This	REPC	ORT consists of a total of	7 sheets, including this c	over sl	neet.			
(:	This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheets.							
3. This r	eport ⊠	contains indications relat	ing to the following items	:				
II								
111		•	pinion with regard to nove	elty, inv	entive step a	and industrial applicability		
IV		Lack of unity of invention	-	·	•	,		
V	☒	Reasoned statement un citations and explanation	der Article 35(2) with regards suporting such statem	ard to r ent	novelty, inve	ntive step or industrial appli	icability;	
VI		Certain documents cite	d					
VII	\boxtimes	Certain defects in the in	ternational application					
VIII	⊠	Certain observations on	the international applicat	tion				
:								
Date of sub	missio	on of the demand	C	Date of o	completion of t	this report		
13/09/2000 23.04.2001								
	exami	address of the international ning authority:	A	Authoriz	ed officer		STOP SONES MIENTER	
<u>@</u>)	D-80	pean Patent Office 1298 Munich +49 89 2399 - 0 Tx: 523656	epmu d	Rosbo	rough, J		Traces are the state of the sta	
Fax: +49 89 2399 - 4465				Colooba.	no No . 40 90	0000 0018	23 DONO 3040 A	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IT00/00053

I.	Bas	is c	of ti	he i	rep	ort
----	-----	------	-------	------	-----	-----

1.	the and	With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): Description, pages:							
	1-6		as originally filed						
	Cla	ims, No.:							
	1-9		as originally filed						
	Dra	wings, sheets:							
	1/3-	-3/3	as originally filed						
2.			juage, all the elements marked above were available or furnished to this Authority in the international application was filed, unless otherwise indicated under this item.						
These elements were available or furnished to this Authority in the following language: , which is:									
		the language of a	translation furnished for the purposes of the international search (under Rule 23.1(b)).						
		the language of pu	ublication of the international application (under Rule 48.3(b)).						
		the language of a 55.2 and/or 55.3).	translation furnished for the purposes of international preliminary examination (under Rule						
3.			eleotide and/or amino acid sequence disclosed in the international application, the y examination was carried out on the basis of the sequence listing:						
		contained in the in	ternational application in written form.						
		filed together with	the international application in computer readable form.						
		furnished subsequ	ently to this Authority in written form.						
		furnished subsequ	ently to this Authority in computer readable form.						
			t the subsequently furnished written sequence listing does not go beyond the disclosure in oplication as filed has been furnished.						
		The statement that listing has been fu	t the information recorded in computer readable form is identical to the written sequence rnished.						
4.	The	amendments have	resulted in the cancellation of:						
		the description,	pages:						
		the claims,	Nos.:						

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IT00/00053

		the drawings,	sheets:								
5.	. This report has been established as if (some of) the amendments had not been made, since they have beer considered to go beyond the disclosure as filed (Rule 70.2(c)):										
		(Any replacement sh report.)	eet contair	ning such	amendm	ents must l	be referred	to under ite	em 1 and	annexed	to this
6.	Add	litional observations, i	f necessar	y:							
٧.		soned statement un tions and explanatio			_		y, inventive	e step or i	ndustria	l applicab	ility;
1.	Stat	ement									
	Nov	relty (N)	Yes: No:	Claims Claims	1-9						
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-9						

2. Citations and explanations see separate sheet

Industrial applicability (IA)

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted: see separate sheet

Claims 1-9

Claims

VIII. Certain observations on the international application

Yes:

No:

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents:

D1: ER-A-0 884 425. D2: US-A-5,123,550.

5.1 Independent Claim 1.

Document D1, which is considered to represent the most relevant state of the art. discloses (cf. especially figs. 1 and 3) the combination of features of the preamble of claim 1, from which the subject-matter of claim 1 differs in that (cf. especially fig.5 of the application documents):

- the universal joints have grooves (6) along the sides of the face on which the four seats (2,2',2>> and 2'>>) are provided, close to the edge and parallel to the same edge, which cooperate with C-sectioned fixing elements (9) to hold united two matching universal joints from the two structures to be coupled.

The subject-matter of claim 1 is therefore novel (Article 33(2) PCT).

The problem to be solved by the present invention may therefore be regarded as:

- to provide a system of fixing two or more structures such as are defined by the preamble of claim 1.

The solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT), as none of the available prior-art documents discloses or provides indication for a joining system according to the characterising portion of claim 1.

D1 discloses (cf. fig.2) joining the universal joints by means of screw-connecting telescopic elements (3b) through coinciding holes in said joints.

D2 does not disclose:

- universal joints delimited by large, equal and parallel faces

- four seats corresponding to the side faces of said joint
- the joints having grooves along the sides of the face on which the four seats are provided.

Moreover the C-shaped fixing elements (D2, fig.1, (14)) disclosed by D2 do not "hold united two matching universal joints from the two structures to be coupled" as is required by the content of lines 9 and 10 of claim 1. The two structures held united by said element (14) according to D2 are not "structures of the type which present pairs of scissors-connected tubular elements" as required by lines 2 and 3 of claim 1, rather the two structures held united by said element (14) according to D2 are four-sided structures formed by tubular elements joined substantially end-to-end by way of corner joint links (5-12).

5.2 Independent Claim 8.

Independent claim 8 is directed to universal joints essentially as defined in claim 1 as being comprised in the composite structure according to that claim.

The characterising portion of claim 8 is analogue that of claim 1, so that for the reasons provided under item 5.1, the subject-matter of claim 8 also conforms to the requirements of Articles 33(2) and (3) PCT.

5.3 Dependent Claims 2-7 and 9.

Claims 2-7 and 9 are dependent on claims 1 and 8 respectively, and as such also meet the requirements of the PCT with respect to novelty and inventive step.

Re Item VII

Certain defects in the international application

7.1 Reference Signs.

The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

7.2 Inconsistency.

According to the requirements of Rule 10.2 PCT, the terminology and the signs shall be consistent throughout the application. This requirement is not met in view of the use of the following expressions:

- "tubular extended element (5)" (eg. page 5, line 11); "telescopic extension elements (5)" (eg. page 6, lines 8,9); and "extendible telescopic tubular element" (claim 2).
- "spring (9)" (description); and "C-sectioned fixing elements (9)" (claims).
- "tubular elements" (claim 1, line 3); and "extended elements" (claim 2, lines 13-14).
- "the four grooves (2,2',2>> and 2'>>)" (eg. page 5, lines 7 and 10); and "seats" (claims).

Re Item VIII

Certain observations on the international application

8.1 Clarity, Claim 1.

Claim 1 does not meet the requirements of Article 6 PCT because the feature "the face on which the four seats are provided" (line 8) lacks an antecedent.

8.2 Clarity, Claims 2 and 9.

Claims 2 and 9 do not meet the requirements of Article 6 PCT because it is not clear what is meant by the terms "in the inside surface of the face" (claim 2, lines 12-13), and "internally to the face" (claim 9, lines 18,19) respectively - (substantially centrally located in the face?).

Said terms give the impression that more than one surface is present in the face referred to, whereby a face can have only one surface.

INTERNATIONAL PRELIMINARY

International application No. PCT/IT00/00053

EXAMINATION REPORT - SEPARATE SHEET

8.3 Clarity, Claims 3 and 4.

Claims 3 and 4 do not meet the requirements of Article 6 PCT because:

- (i) It is not clear from the expression "Structures joined according to ..." whether the same (ie. "Composite structures according to ..."), or similar, structures are meant.
- (ii) The term "joined" lacks an antecedent (cf. "held united" claim 1, line 9).

8.4 Clarity, Claim 8.

Claim 8 does not meet the requirements of Article 6 PCT because the feature "the larger faces" (lines 12-13) lacks an antecedent.

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 7404/100	FOR FURTHER see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.					
International application No. International filing date (day/month/year) (Earliest) Priority Date (day/month/year)						
PCT/IT 00/00053	18/02/2000	26/02/1999				
CAZZOLARO, Sergio						
This International Search Report has bee according to Article 18. A copy is being to This International Search Report consists		thority and is transmitted to the applicant				
	a copy of each prior art document cited in this	s report.				
1. Basis of the report						
	international search was carried out on the balless otherwise indicated under this item.	ssis of the international application in the				
the international search w Authority (Rule 23.1(b)).	vas carried out on the basis of a translation of	the international application furnished to this				
was carried out on the basis of th		ntemational application, the international search				
	emational application in computer readable for	m.				
_	o this Authority in written form.					
furnished subsequently to	this Authority in computer readble form.					
	bsequently furnished written sequence listing as filed has been furnished.	does not go beyond the disclosure in the				
the statement that the inf furnished	ormation recorded in computer readable form	is identical to the written sequence listing has been				
2. Certain claims were fou	ind unsearchable (See Box I).					
3. Unity of Invention is led	king (see Box II).					
4. With regard to the title,	•					
	ubmitted by the applicant.					
the text has been established by this Authority to read as follows:						
5. With regard to the abstract,						
the text has been established	ubmitted by the applicant. shed, according to Rule 38.2(b), by this Author date of mailing of this international search re	rity as it appears in Box III. The applicant may, sport, submit comments to this Authority.				
6. The figure of the drawings to be pub	elished with the abstract is Figure No.	4				
X as suggested by the appl	licant.	None of th figures.				
because th applicant fai	led to suggest a figure.	_				
because this figure better charact rizes the invention.						

INTERNATIONAL SEARCH REPORT


ational application No.

PCT/IT 00/00053

Box III	TEXT OF THE	ABSTRACT	(Continuation of Item 5 of the first sheet)	
-			(

- line 2, add "(5)" after "tubular elements".
 line 5, add "(6)" after "present grooves".
 line 7, add "(9)" after "fixing elements".






						
A. CLASSI IPC 7	FICATION OF SUBJECT MATTER E0481/344 E04H1/12					
••	,					
According to	International Patent Classification (IPC) or to both national classification	ation and IPC				
	SEARCHED					
Minimum do	cumentation searched (classification system followed by classification E04B E04H A47F G09F	on symbols)				
Documentat	tion searched other than minimum documentation to the extent that se	uch documents are included in the fields se.	arched			
Electronic d	ata base consulted during the international search (name of data base	se and, where practical, search terms used)				
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT					
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.			
X	US 5 123 550 A (NODSKOV ET AL.) 23 June 1992 (1992-06-23)		1,3-5,8			
A	column 2, line 62 -column 4, line	4;	6			
	figures					
Α	EP 0 219 201 A (SILK CUT FLOWERS	LIMITED)	1,2,8,9			
	22 April 1987 (1987-04-22)					
	page 3, line 5 -page 5, line 5; f 1-4	igures				
	1- 4 					
Α	EP 0 271 088 A (WICHMAN)		1,8			
	15 June 1988 (1988-06-15)					
	column 3, line 15 -column 5, line	9 39;				
	figures 1-6					
:						
			<u> </u>			
Furt	ner documents are listed in the continuation of box C.	Y Patent family members are listed in	n annex.			
° Special ca	tegories of cited documents:	"T" later document published after the inter	national filing date			
	ent defining the general state of the art which is not lered to be of particular relevance	or priority date and not in conflict with to cited to understand the principle or the				
"E" earlier	document but published on or after the international	invention "X" document of particular relevance; the cl	aimed invention			
"L" docume	document which may throw doubts on priority claim(s) or cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone					
	which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the					
	"O" document referring to an oral disclosure, use, exhibition or document le combined with one or more other such document or or more other such document les combination being obvious to a person skilled					
	ant published prior to the international filing date but an the priority date claimed	in the art. *&* document member of the same patent f	emilv			
	actual completion of the international search	Date of mailing of the international sea	<u> </u>			
1	6 May 2000	23/05/2000				
Name and r	nailing address of the ISA	Authorized officer				
	European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rilswift					
	Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016	Clasing, M				

INTERNATIONAL SEARCH REPORT

information on patent family members



Patent docum in cited in search rep		Publication date		ratent family member(s)	Publication date
US 5123550	Α	23-06-1992	DK	158888 A	24-09-1989
			AU	3363189 A	16-10-1989
			WO	8909006 A	05-10-1989
EP 219201	A	22-04-1987	- 	589670 B	19-10-1989
			AU	6150986 A	19-02-1987
			DK	389286 A	17-02-1987
			GB	2181291 A,B	15-04-1987
EP 271088	Α	15-06-1988	AT	82607 T	15-12-1992
		•.	AU	656579 B	09-02-1995
		**	AU	1604192 A	30-07-1992
			AU	624672 B	18-06-1992
			AU	4886390 A	17-05-1990
			AU	8200487 A	16-06-1988
			CA-	1307641 A	22-09-1992
			CA	1320327 A	20-07-1993
			DE	3782725 A	24-12-1992
			DE	3782725 T	09-06-1993
			EP	0498469 A	12-08-1992
			US	4986016 A	22-01-1991
			US	5125205 A	30-06-1992

PCT

WORLD IN ELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: E04B 1/344, E04H 1/12

(11) International Publication Number:

WO 00/50702

(43) International Publication Date:

31 August 2000 (31.08.00)

(21) International Application Number:

PCT/IT00/00053

(22) International Filing Date:

18 February 2000 (18.02.00)

(30) Priority Data:

MI99A000393

26 February 1999 (26.02.99)

IT

(71)(72) Applicant and Inventor: CAZZOLARO, Sergio [IT/IT]; Località Villa Ivana, I-26823 Castiglione d'Adda (IT).

(74) Agent: CIONI, Carlo; Studio Cioni & Pipparelli, Viale Caldara, 38, I–20122 Milano (IT). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, MIL, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Titl: STRUCTURES WHICH CAN BE DISMANTLED AND FOLDED, CONSISTING OF INTERCONNECTING TUBULAR ELEMENTS

(57) Abstract

Composite structures obtained by joining two or more structures of the type which presents pairs of joined tubular elements (5), whose extremity is hinged in universal joints and in which the universal joints are substantially parallelepiped in form and present four seats of hinging corresponding to the sides faces, in which said universal joints present grooves (6) along the sides of the face, in which are scheduled the seats to hinge the extended elements, in proximity of the edges and parallel to the same edges, that cooperate with C-sectioned fixing elements (9) to hold united two matched universal joints belonging to two structures from join.



EXPRESS MAIL NO. EL 8/5 4 72 58/ US

MAILED 22 August 2001

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	· Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL.	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

«STRUCTURES WHICH CAN BE DISMANTLED AND FOLDED, CONSISTING OF INTERCONNECTING TUBULAR ELEMENTS»

5

10

15

20

The present invention relates to folding structures consisting of interconnected extended tubular elements. More particularly, the present invention relates to portable folding structures which can be extended horizontally or vertically, that can be used for product display or as supports for raised loads, such as for instance platforms, walkway bases, technical pavements, rostrums, stands, boxes, comprising a plurality of interconnected parallelepiped cells in which the sides faces of the parallelepiped are defined by a pair of tubular elements interconnected by a scissors-connector. In these structures each extremity of the extended tubular elements which constitute the pair of scissors-connected elements, is inserted by rotation into a seat in an articulated universal joint, also parallelepiped in form. The universal joint presents, on one of the larger faces, a hinging seat corresponding to each side face, and can therefore accept up to four extremities of tubular elements. In the case of structures that must bear heavy loads a variation to the embodiment described above has been used for some time in which the universal joints provide for a fifth seat on the surface of said face into which is fixed a tubular element, within which another tubular element of smaller diameter is inserted as a sliding fit and whose extremity is inserted into the face of a similar universal joint. The tubular element inserted into the face of the universal joint is WO 00/50702

5

10

15

20

fixed and is stopped against the opposed joint into which is inserted the extremity of element that slides inside.

It is often necessary to arrange for exhibition structures or raised support higher than is attainable with the single structure. In this case, more identical (or similar) structures are superimposed such that, in the overlap, the upper faces of the universal joints of the underlying structure are matched to the corresponding lower faces of the upper structure.

Devices are known to increase the height of the exhibition or support systems mentioned above. For instance, an exhibition system that could give rise to structures of different height is described in EP-A-0 419 006.

The structure described in said patent is complex, provides for a plurality of articulated elements and therefore requires long assembly and dismantling times.

The system proposed in the EP-A-0 884 425 provides for uniting the joints of two structures by connecting the extremities of the two telescopic elements, for instance by means of screw or pin systems.

This system also presupposes complex and onerous setting-up operations, as well as relatively long dismantling and assembly times.

One purpose of the present invention is provision of a simple and rapid method of joining two or more structures of the type consisting of pairs of extended tubular shear-connected elements, whose extremity is hinged in universal joints and in which the universal joints are defined integral with equal and parallel larger faces and are preferably substantially parallelepiped in form and present four hinging seats set in one of the larger faces near a side face.

3

A second purpose of the present invention is the coupling of two or more superimposed structures of the type described above that furthermore present in the inside surface of the face of the universal joint, in which are seats for the hinging of the extended elements, a fifth seat into which is fixed the extremity of an extendible telescopic tubular element whose other extremity is fixed to the opposite underlying universal joint.

5

10

15

20

And a further purpose of the present invention is a device that allows the coupling of the aforesaid structures.'

The purposes of the present invention are achieved using the universal joints described above that present grooves along the sides of the face, in which are scheduled seats for lodging the extended elements in proximity to the edges of the type and parallel to the same edges, that cooperate with C-sectioned fixing elements to hold two matching universal joints belonging to two superimposed structures together.

According to a preferred embodiment of the invention, the C-shaped fixing elements are substantially rectangular sheets of flexible material with two opposite edges folded and inverted, in the following also referred to as the C-shaped spring or C-spring. The folded and inverted edges of the C-shaped spring present dimensions and forms corresponding to those of the grooves cut into the faces of the universal joints.

The C-shaped springs with inverted edges cover most of the corresponding side faces of the superimposed universal joints and they could provide for, in some 4

cases, grooves in correspondence with seats of lodgement of the extended elements and they could take different configurations depending on their use.

The C-shaped springs could be applied to all the side faces of all the joints that are matched in the overlap or in coupling of multiple structures.

- It has been found, however, that to get sufficient stability in most cases it is sufficient to apply the C-springs only on the external faces of the universal joints that are on the external surface of the structure. The application of the C-springs to only the external faces of the joints enormously simplifies the operation of assembly and dismantling of the coupled structures.
- To further guarantee the stability of the joined structure, the faces of the matching joints could present one or more suitable perforations for the housing pivots that prevent any movement of the joints on the contact pivot.

The present invention will now be illustrated in more detail making reference to preferred embodiments of the same that are described with the aid of the attached drawings. These sketches and the embodiments are by way of example and must not be interpreted as limiting the invention.

In the sketches:

- figure 1 shows a view in perspective of a universal joint according to the invention;
- figure 2 shows a side view of the C-sectioned spring that could cooperate with the joint of figure 1;
 - figure 3 is a view in perspective of the spring of figure 2;

5

- figure 4 shows a side view of two joints belonging to two superimposed structures fixed together by means of the springs of figures 2 and 3.
- figure 5 is an exploded view of a preferred system of connection of structures according to the invention.
- 5 figure 6 is a simplified scheme of two superimposed structures coupled according to invention.

With reference to figures 1 to 4, the universal joint 1 presents four grooves 2, 2', 2» and 2'» on one of its larger faces in correspondence to the side face, that could accept hinged extended tubular elements not shown in the figure. On face 3 of the universal joint that presents the four grooves (2, 2', 2» and 2'») there is an opening 4 to fix the extremity of a tubular extended element 5, within which another tubular element slides, not shown in the figure and connected with a corresponding universal joint. Along the edges of said face of the universal joint are grooves 6 which constitute seats to accept one of the extremities 8 of a spring 9 as shown in figure 4.

10

15

20

The insertion of the two extremities of the spring 9 into the grooves on the non-matching faces of two joints belonging to two superimposed structures allows the coupling of the structures to be maintained fixed. The insertion of the springs is easily achieved after the structures have been superimposed by snapping the inverted extremities 8 of the springs 9 into said grooves, where they remain locked. The operation of dismantling is performed quickly, for instance, by removing one of the two inverted extremities 8 of the C-springs from the groove.

6

Figure 5 shows a preferred embodiment of the invention. This provides for the use of universal joints whose face opposite to that in which the grooves have been made contains the opening 10 that can accept pivots 11 that prevent any relative movement of the joints in the horizontal plane.

5 Figure 6 shows a side view of a support system for elevated loads according to the invention, obtained by joining two structures.

The said figure shows the extended elements 12 joined with scissors-connection and hinged in seats 2 of the universal joint, as well as the telescopic extension elements 5, that assure resistance to loading of the structure.

7

CLAIMS

5

10

- 1. Composite structure obtained by coupling two or more structures of the type which present pairs of scissors-connected tubular elements whose extremities are hinged in universal joints and in which the universal joints are integral delimited by large, equal and parallel faces preferably substantially parallelepiped in form and which present four seats corresponding to the side faces to accept hinged elements, characterized by the universal joints having grooves along the sides of the face on which the four seats are provided, close to the edge and parallel to the same edge, which cooperate with C-sectioned fixing elements to hold united two matching universal joints from the two structures to be coupled.
- 2. Composite Structures according to Claim 1, characterized by the structures joined being superimposed and presenting, besides, in the inside surface of the face of the universal joint in which there are seats for hinging the extended elements, a fifth seat in which is fixed the extremity of an extendible telescopic tubular element whose other extremity is fixed to the opposed joint of the underlying universal joint.
- 3. Structures joined according to Claims 1 or 2, characterized by the C-shaped fixing elements being substantially rectangular sheets of flexible material with two opposite folded and inverted edges.
- 4. Structures joined according to the Claims 1 to 2, characterized by the folded and inverted edges of the C-shaped fixing elements presenting dimension and shape corresponding to the grooves on the faces of the universal joint.


8


- 5. Composite structures according to Claims 1 to 4, characterized by the C-shaped fixing elements being applied only on the external faces of the universal joints that are on the external surface of the structure.
- 6. Composite structures according to Claims 1 to 4, characterized by the C-shaped
 fixing elements with inverted edges covering most of the corresponding side faces
 of the superimposed universal joints and providing for cut-outs corresponding to
 the seats for the hinged extended elements.
 - 7. Composite structures according to Claims 1 to 6, characterized by the matching faces of the joints of the joined structures presenting one or more suitable perforations to house pivots that prevent any movement on the surfaces of contact of the joints.


10


15


- 8. Universal joints of substantially parallelepiped form providing in one of the larger faces for four hinging seats, corresponding to the side faces, for fixing the extremities of extended elements, characterized by presenting grooves along the sides of the face in which are scheduled seats for hinging the extended elements, in proximity of the edges and parallel to the same edges, that could cooperate with C-sectioned fixing elements to unite two matched universal joints.
- 9: Universal joints according to Claim 8, characterized by presenting internally to the face carrying the grooves, a fifth seat into which is fixed the extremity of an extendible telescopic tubular element.














FIG. 6

Inte ,onal Application No

		1 7	21/11 00/00053			
A. CLASS IPC 7	SIFICATION OF SUBJECT MATTER E04B1/344 E04H1/12	-				
According t	to International Patent Classification (IPC) or to both national classifi	cation and IPC				
	SEARCHED		· · · · · · · · · · · · · · · · · · ·			
IPC 7	ocumentation searched (classification system followed by classifica E04B E04H A47F G09F					
	ation searched other than minimum documentation to the extent that					
	data base consulted during the international search (name of data b	ase and, where practical, seal	ch terms used)			
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT					
Category °	Citation of document, with indication, where appropriate, of the re	llevant passages	Relevant to claim No.			
X	US 5 123 550 A (NODSKOV ET AL.) 23 June 1992 (1992-06-23)		1,3-5,8			
A	column 2, line 62 -column 4, lin figures	e 4;	6			
Α	EP 0 219 201 A (SILK CUT FLOWERS 22 April 1987 (1987-04-22) page 3, line 5 -page 5, line 5; 1-4	1,2,8,9				
A	EP 0 271 088 A (WICHMAN) 15 June 1988 (1988-06-15) column 3, line 15 -column 5, line figures 1-6	1,8				
	ner documents are listed in the continuation of box C.					
		X Patent family memb	ers are listed in annex.			
"A" docume	legories of cited documents : ant defining the general state of the art which is not be of particular relevance	or priority date and not in cited to understand the p	after the international filing date n conflict with the application but principle or theory underlying the			
tiling da	ocument but published on or after the international ate nt which may throw doubts on priority claim(s) or	cannot be considered no	evance; the claimed invention ovel or cannot be considered to			
citation "O" docume	s cited to establish the publication date of another or other special reason (as specified) int referring to an oral disclosure, use, exhibition or	"Y" document of particular rel cannot be considered to	when the document is taken alone evance; the claimed invention involve an inventive step when the with one or more other, such docu-			
otner n "P" docume	other means "P" document published prior to the international filing date but later than the priority date claimed "An international filing date but later than the priority date claimed "Cocument is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "Cocument member of the same patent family					
Date of the a	ctual completion of the international search	Date of mailing of the inte	ernational search report			
	5 May 2000	23/05/2000				
Name and m	nailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk	Authorized officer				
	Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Clasing, M				



Information on patent family members

PCT/IT 00/00053

Patent document cited in search report		Publication dat	Patent family member(s)		Publication date
US 5123550	Α	23-06-1992	DK	158888 A	24-09-1989
			AU	3363189 A	16-10-1989
			WO	8909006 A	05-10-1989
EP 219201	Α	22-04-1987	AU	589670 B	19-10-1989
			AU	6150986 A	19-02-1987
			DK	389286 A	17-02-1987
			GB	2181291 A,B	15-04-1987
EP 271088	Α	15-06-1988	AT	82607 T	15-12-1992
			AU	656579 B	09-02-1995
			UΑ	1604192 A	30-07-1992
			AU	624672 B	18-06-1992
			AU	4886390 A	17-05-1990
			AU	8200487 A	16-06-1988
			CA	1307641 A	22-09-1992
			CA	1320327 A	20-07-1993
			DE	3782725 A	24-12-1992
			DE	3782725 T	09-06-1993
			EP	0498469 A	12-08-1992
			US	4986016 A	22-01-1991
			US	5125205 A	30-06-1992